



KILLESHAL

kiform 202,11,07
October 2007

building into the future since 1969

STONE CLADDING



www.killeshal.com

 **STONEWrap**
MADE WITH STONE

KILLESHAL ABOUT THE STONE

Hundreds of natural stones carrying the most exceptional texture and shape are selected and moulded through a unique technique that reflects the finest details of their surface. STONEWRAP manufactured stone is produced through these moulds utilizing a special mix mainly formed of cement, pumice and sand.

Making use of a precise and sophisticated method to colour this mixture with colour pigments requires hard work and meticulous craftsmanship. The incredibly natural appearance of STONEWRAP is obtained through achieving these difficult processes.

STONEWRAP is the ideal veneer due to its low cost, easy installation, lasting colours, insulating properties, and the fact that is much lighter than natural stone. Combining its superior properties with multiple texture and colour choices, STONEWRAP has been rapidly replacing natural stone and other types of veneers.

Suitable for use in creating interior and exterior accent walls, fireplaces, foundations, chimneys, gable ends, entryways, garages—the possibilities are endless.

STONEWRAP is tested for durability, dimensions, weight, fire resisting properly, average heat resistance, flexural strength after 28 days, average compressive strength after 28 days, average water absorption, average apparent density, bloom and frost-wedging. All resistance tests are made for your safety and living comfort.



COBBLE STONE	page 3
CASTLE ROCK	page 4
RIVER ROCK	page 5
WATER LEDGE	page 5
LEDGE ROCK	page 6
GRAND CANYON	page 7
NEW CASTLE (OPUS)	page 8
PRATICO	page 9
FIELD STONE	page 10





COBBLE STONE

Rectangular shape of Cobble Stone makes the surface massive and dignified. The four different shades are ideal for large and medium architecture areas. Stone range from 5cm to 20cm in height and from 10cm to 40cm in length.

Packing details:

m ² /box	1.00
box/pallet	30.00
m ² /pallet	30.00
kg/m ²	42.00
kg/box	42.00
kg/pallet	1,260
rows/pallet	6.00
box	580*380*230



COBBLE STONE BASALT



COBBLE STONE CREAM (LIME)



COBBLE STONE AUTUMN (AMBER)



COBBLE STONE COFFEE



COBBLE STONE AND FIELD STONE MIX



COBBLE STONE AND FIELD STONE MIX

CASTLE ROCK

Old style in new shape. Castle Rock gives unique look and solid finish, characteristic for outdoor applications. Stone range from 5cm to 30cm in height and from 10cm to 35cm in length.

Packing details:

m ² /box	1.00
box/pallet	30.00
m ² /pallet	30.00
kg/m ²	42.00
kg/box	42.00
kg/pallet	1,260
rows/pallet	6.00
box	580*380*230



CASTLE ROCK BROWN



CASTLE ROCK FOG



CASTLE ROCK CANYON





RIVER ROCK

Polished and smooth texture with rounded forms creates delicate River Rock range. Work beautiful with sunny swimming pools, green gardens and light constructions. Stone range from 3cm in their smallest dimension and to 25cm in their largest dimension.

Packing details:

m ² /box	1.00
box/pallet	30.00
m ² /pallet	30.00
kg/m ²	40.00
kg/box	40.00
kg/pallet	1,200
rows/pallet	6.00
box	580*380*230



RIVER ROCK WAVE



RIVER ROCK BROWN BLEND



RIVER ROCK MAPLE



WATER LEDGE

Water Ledge was designed in harmony between Ledge Rock and River Rock. It makes solid and elegant finishing. Stone range from 4cm to 7cm in height.

Packing details:

m ² /box	0.80
box/pallet	30.00
m ² /pallet	24.00
kg/m ²	39.00
kg/box	40.00
kg/pallet	1,200
rows/pallet	6.00
box	580*380*230



WATER LEDGE BROWN BLEND



WATER LEDGE SLATE



LEDGE ROCK

Natural look of Ledge Rock correspond with different applications. You can choose from light Ledge Rock Lime to dark Ledge Rock Granat. Stone range from 2cm to 15cm in height and from 15cm to 50cm in length.

Packing details:

m ² /box	1.00
box/pallet	30.00
m ² /pallet	30.00
kg/m ²	42.00
kg/box	42.00
kg/pallet	1,260
rows/pallet	6.00
box	580*380*230



LEDGE ROCK SLATE



LEDGE ROCK GRANAT



LEDGE ROCK FAWN



LEDGE ROCK LIME



LEDGE ROCK AMBER



LEDGE ROCK BROWN BLEND



GRAND CANYON

Specific natural look thanks to its large size and rough texture. Ideal for internal and external finishing.
Stone range from 3cm to 7cm in height.

Packing details:

m ² /box	0.80
box/pallet	30.00
m ² /pallet	24.00
kg/m ²	42.00
kg/box	42.40
kg/pallet	1,272
rows/pallet	6.00
box	580*380*230



GRAND CANYON AMPHORA



GRAND CANYON FOX



GRAND CANYON VOLCANO



NEW CASTLE (OPUS)

Smooth surface with delicate stone texture is ideal to large designs.
Rectangular shapes of stone makes installation very easy.

Packing details:

m ² /box	1.00
box/pallet	24.00
m ² /pallet	24.00
kg/m ²	45.00
kg/box	45.00
kg/pallet	1,080
rows/pallet	3.00
box	580*235*310



NEW CASTLE AMPHORA



NEW CASTLE GRAY



NEW CASTLE LOTUS



PRATICO

Condensed and flat shape of Pratico makes it great for large constructions and modern projects. Designed for typical dry masonry. The lengths are available between 20-50cm while the height is 10cm.

Packing details:

m ² /box	1.00
box/pallet	30.00
m ² /pallet	30.00
kg/m ²	39.00
kg/box	39.00
kg/pallet	1,170
rows/pallet	5.00
box	520*330*210



PRATICO TRAVERTINE



PRATICO GOLD



PRATICO SILVER



PRATICO TOFFEE



PRATICO SMOKE



PRATICO HONEY



PRATICO PEARL



FIELD STONE

Creating old style design, back to the past elegance, that is Field Stone range. Suitable for antique interiors and unique design. Stone range from 5cm in their smallest dimension and to 50cm in their largest dimension.

Packing details:

m ² /box	1.00
box/pallet	30.00
m ² /pallet	30.00
kg/m ²	39.50
kg/box	39.50
kg/pallet	1,185
rows/pallet	6.00
box	580*380*230



FIELD STONE SAND



FIELD STONE GRAPHITE



FIELD STONE DESERT



FIELD STONE AND COBBLE STONE MIX



PACKAGING



STONEWRAP is placed in suitable boxes, designed specially for that type of product. The package is covered by waterproof, strong foil to prevent damage.

The average weight is 40 kg/m² and average thickness is 30-40 mm but ask your customer service for specific design. Depend on stone veneer selection they are different weights.



INSTRUCTIONS



1: APPLY MORTAR OR GLUE CEMENT ON THE WALL.



2: APPLY MORTAR TO THE BACK SIDE OF STONES ALSO.



3: STONES ARE APPLIED TO THE WALL STARTING WITH THE CORNERS FIRST.



4: THE JOINTS ARE GROUTED.



5: THE JOINTS ARE POINTED.



6: THE JOINTS ARE BRUSHED.



KILLESHAL

building into the future since 1969



COBBLE STONE
CASTLE ROCK
RIVER ROCK
WATER LEDGE
LEDGE ROCK
GRAND CANYON
NEW CASTLE (OPUS)
PRATICO
FIELD STONE

contact us:

Killeshal Precast Concrete Ltd
Daingean, Co. Offaly

Tel: +353 57 9353018 **Fax:** +353 57 9353272

E-mail: sales@killeshal.com

Web: www.killeshal.com

